

## **APPENDIX R**

### **Structures Within 50 Feet of the Construction Work Area**

*This page intentionally left blank*

APPENDIX R

Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Wetzel, WV	Building - Barn	0.00	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - Shed	0.00	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - House	0.00	32.8	Mobley IC LOD	No		Property has been purchased. Will not be occupied at time of construction.	
Wetzel, WV	Building - Shed	0.00	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building	0.00	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - Shed	0.00	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - Shed	0.00	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Wetzel, WV	Building - House	0.01	0.0	Mobley IC LOD	Yes		Property has been purchased. Will not be occupied at time of construction.	
Wetzel, WV	Building - Barn	0.01	0.0	Mobley IC LOD	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - Barn	0.02	0.0	Laydown Yard	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building – Abandoned Trailer	0.02	0.0	Laydown Yard	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Gas Meter Site	0.72	0.0	47.5	No		This structure is not a residence. Safety/Barricade fence to be installed	
Wetzel, WV	Building - House	0.78	7.5	83.7	Yes		Property has been purchased. Will not be occupied at time of construction.	
Wetzel, WV	Building - Shed	0.78	1.2	55.7	No		This structure is not a residence. Safety/Barricade fence to be installed	

APPENDIX R (continued)

Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Wetzel, WV	Building - Shed	0.79	1.0	78.9	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - Shed	0.79	2.0	Access Road	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building - Shed	0.81	14.4	Access Road	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building – Barn	0.82	11.7	66.9	No		This structure is not a residence. Property has been purchased.	
Wetzel, WV	Building – Barn	1.13	5.0	Laydown Yard	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building - House	1.33	1.1	Access Road	Yes	RSS-H600-105	See residential site specific plan RSS-H600-105.	Access Road and associated ATWS necessary for steep terrain.
Wetzel, WV	Building - Shed	1.33	1.2	Access Road	No	RSS-H600-105	This structure is not a residence. But see residential site specific plan RSS- H600-105.	Access Road and associated ATWS necessary for steep terrain.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Wetzel, WV	Building - Shed	1.33	3.2	Access Road	No	RSS-H600-105	This structure is not a residence. But see residential site specific plan RSS- H600-105.	Access Road and associated ATWS necessary for steep terrain.
Wetzel, WV	Building	1.34	30.0	Access Road	No	RSS-H600-105	This structure is not a residence. But see residential site specific plan RSS- H600-105.	Access Road and associated ATWS necessary for steep terrain.
Wetzel, WV	Building - Shed	1.34	1.2	Access Road	No	RSS-H600-105	This structure is not a residence. But see residential site specific plan RSS- H600-105.	Access Road and associated ATWS necessary for steep terrain.
Wetzel, WV	Building – Home	1.70	0.0	Access Road	No		Property has been purchased. Not occupied.	
Wetzel, WV	Building - Shed	1.70	0.0	Access Road	No		This structure is not a residence. Landowner has been compensated for structure.	
Wetzel, WV	Building - Concrete Foundation	1.87	4.4	29.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Wetzel, WV	Building - Home	2.15	0.0	Access Road	No		Property has been purchased. Not Occupied.	
Wetzel, WV	Building - Mobile Home	2.34	0.0	17.7	No		This structure is not a residence. Purchased, to be removed.	
Wetzel, WV	Building - Concrete Foundation	4.48	0.0	Access Road	Yes		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building - Concrete Foundation	4.48	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building - Shed	5.47	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building - Barn	6.54	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building – Barn	7.38	0.0	55.7	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Wetzel, WV	Building - Shed	7.67	0.0	31.2	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building - Barn	7.86	0.0	37.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Wetzel, WV	Building - Barn	7.86	48.9	194.7	No		This structure is not a residence. Outside of LOD.	
Harrison, WV	Building	11.30	24.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Shed	12.04	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Shed	12.05	45.0	Access Road	No		This structure is not a residence. Outside of LOD.	
Harrison, WV	Building - Barn	12.07	6.8	44.3	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Shed	12.10	9.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Shed	12.10	16.7	Access Road	No		This structure is not a residence. Outside of LOD.	
Harrison, WV	Building - Shed	12.10	35.6	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Shed	12.10	38.6	Access Road	No		This structure is not a residence. Outside of LOD.	
Harrison, WV	Building - Shed	13.73	9.9	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Shed	13.73	0.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Church	15.40	15.7	Access Road	Limited Time	RSS-H600-028	See residential site specific plan RSS-H600-028. This structure is a church.	Access Road and associated ATWS necessary for road and railroad crossing. This structure is a church.
Harrison, WV	Building - Shed	15.42	46.5	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building House	17.74	44.8	ATWS	Yes		This structure is separated from workspace by County Route 14/1 and is outside LOD.	
Harrison, WV	Building - Deer Blind	19.71	0.0	5.3	No		This structure is not a residence. Negotiations are on-going.	
Harrison, WV	Building Cabin	20.59	1.0	36.0	Limited Time		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Shed	20.74	42.5	Access Road	No	RSS-H600-097	This structure is not a residence. See residential site specific plan RSS-H600-097.	Access Road necessary for steep terrain and road crossing.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Shed	20.75	25.7	Access Road	No	RSS-H600-097	This structure is not a residence. See residential site specific plan RSS-H600-097.	Access Road necessary for steep terrain and road crossing.
Harrison, WV	Building Shed	20.75	11.4	Access Road	No	RSS-H600-097	See residential site specific plan RSS-H600-097.	Access Road necessary for steep terrain and road crossing.
Harrison, WV	Building House	20.75	11.5	Access Road	No	RSS-H600-097	See residential site specific plan RSS-H600-097.	Access Road necessary for steep terrain and road crossing.
Harrison, WV	Building – Structure	20.75	1.5	Access Road	No	RSS-H600-097	This structure is not a residence. See residential site specific plan RSS-H600-097.	Access Road necessary for steep terrain and road crossing.
Harrison, WV	Building Shed	22.36	12.8	Access Road	No	RSS-H600-175	This structure is not a residence. See residential site specific plan RSS- H600-175.	Access Road necessary for steep terrain.
Harrison, WV	Building - House	22.48	0.7	Access Road	Yes	RSS-H600-175	See residential site specific plan RSS-H600-175.	Access Road necessary for steep terrain.
Harrison, WV	Building - Garage	23.67	28.9	Access Road	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - House	25.00	16.3	ATWS	Yes	RSS-H600-029	This structure is not a residence. Safety/Barricade fence to be installed.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Harrison, WV	Building	25.00	1.0	Access Road	No	RSS-H600-029	This structure is not a residence. But see residential site specific plan RSS- H600-029.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Harrison, WV	Building - Valve House	25.77	9.0	46.5	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building - Commercial	25.77	0.0	Laydown Yard	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building – Tractor Trailer	25.79	0.0	17.6	No		This structure is not a residence. Structure will be temporarily moved during construction.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building – Tractor Trailer	25.80	0.0	27.0	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Harrison, WV	Building – Water Trailer	25.81	0.0	0.0	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Harrison, WV	Building - Portable Building	25.82	0.0	36.6	Limited Time		This structure is not a residence. Structure will be removed prior to construction.	
Harrison, WV	Building – Dog Pen	25.82	0.0	61.8	No		This structure is not a residence. Landowner has agreed that structure will be avoided if possible during construction, or removed if necessary..	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Collapsed	25.82	0.0	87.4	No		This structure is not a residence. Landowner has agreed that structure will be avoided if possible during construction, or removed if necessary.	
Harrison, WV	Building Enclosure	25.82	0.0	26.3	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Harrison, WV	Building Carport	25.83	0.0	10.3	No		This structure is not a residence. Landowner has agreed that structure will be avoided if possible during construction, or removed if necessary.	
Harrison, WV	Building - Shed	25.83	5.1	92.6	No		This structure is not a residence. Outside of LOD..	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Shed	25.86	0.0	12.9	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Harrison, WV	Building – Mobile Home	25.86	0.0	75.1	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Harrison, WV	Building - Mobile Home	25.87	0.0	76.8	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Harrison, WV	Building – House	26.69	31.6	Access Road	Yes	RSS-H600-109	See residential site specific plan RSS-H600-109.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Harrison, WV	Building	26.70	2.1	Access Road	Limited Time	RSS-H600-030	This structure is not a residence. See residential site specific plan RSS-H600-030.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building – Garage	26.90	0.0	Access Road	No	RSS-H600-109	This structure is not a residence. See residential site specific plan RSS-H600-109.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Harrison, WV	Gas Well Storage Tank	28.02	30.8	68.3	No		This structure is not a residence. Outside of LOD.	
Harrison, WV	Building - Deer Stand	30.28	0.0	40.7	No		This structure is not a residence. Negotiations are on-going.	
Harrison, WV	Building – Garage	30.80	7.7	Access Road	No	RSS-H600-031	This structure is not a residence. See residential site specific plan RSS-H600-031.	Access Road necessary for steep terrain.
Harrison, WV	Building - Shed	30.81	1.0	Access Road	No		This structure is not a residence. See residential site specific plan RSS-H600-031.	Access Road necessary for steep terrain.
Harrison, WV	Building – House	30.82	38.4	Access Road	Yes	RSS-H600-031	See residential site specific plan RSS-H600-031.	Access necessary due to steep terrain.
Harrison, WV	Building - Shed	31.20	18.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Shed	31.21	9.2	ATWS	No	RSS-H600-032	This structure is not a residence. Safety/Barricade fence to be installed.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Harrison, WV	Building Deer stand	31.52	0.0	28.6	No		This structure is not a residence. Negotiations are on-going.	
Doddridge, WV	Building - Shed	31.74	22.4	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Doddridge, WV	Building - Shed	31.94	23.9	111.7	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Doddridge, WV	Building – Cabin	32.08	0.9	62.8	Limited Time	RSS-H600-005	See residential site specific plan RSS-H600-005.	Access Road necessary due to steep terrain.
Doddridge, WV	Building - Shed	32.40	47.1	119.9	No		This structure is not a residence. Outside of LOD.	
Harrison, WV	Building - Shed	32.61	8.8	135.6	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Harrison, WV	Building - Concrete Foundation	32.63	0.0	61.3	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Harrison, WV	Building Shed	32.80	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Doddridge, WV	Building – Shed	33.92	0.0	33.6	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Doddridge, WV	Building - Cabin	33.92	0.0	0.0	No		Purchased - To be removed. This structure is used as a hunting cabin. Current owner has been compensated and will remove prior to our entry. The cabin is unavoidable due to its location at the end of a narrow point. Diverting east or west would put centerline of pipe through side hill construction which appears to have poor ground stability. The landowner has reviewed the construction plan.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Doddridge, WV	Building - House	33.92	22.6	ATWS	Limited Time	RSS-H600-032	See residential site specific plan RSS-H600-032.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Doddridge, WV	Building - Shed	33.92	0.0	ATWS	No	RSS-H600-032	This structure is not a residence. See residential site specific plan RSS-H600-032.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Doddridge, WV	Building – House	34.34	30.9	Access Road	No	RSS-H600-176	See residential site specific plan RSS-H600-176.	Access Road necessary for steep terrain and stream crossing.
Doddridge, WV	Building - Dog Pen	34.35	32.9	120.4	No	RSS-H600-176	This structure is not a residence. See residential site specific plan RSS-H600-176.	Access Road necessary for steep terrain and stream crossing.
Doddridge, WV	Building – Pipeline Facility	34.81	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Doddridge, WV	Building – Shed	35.33	0.0	15.5	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Doddridge, WV	Building - Deer Blind	35.93	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Harrison, WV	Building - Derrick - Oil	37.43	45.8	97.8	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - Derrick - Oil	38.20	0.0	35.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - Deer Stand	38.72	0.0	18.4	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - Deer Stand	38.72	0.0	13.2	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - House	39.71	3.7	Access Road	No	RSS-H600-110	See residential site specific plan RSS-H600-110. The landowner has approved the construction plan.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Lewis, WV	Building - Deer Stand	43.38	0.0	63.8	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - Shed	43.81	0.0	1.8	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - Shed	43.98	0.0	6.1	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - Shed	44.15	0.0	68.8	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - House	44.44	6.0	Access Road	Yes	RSS-H600-033	See residential site specific plan RSS-H600-033. The landowner has approved the construction plan.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius..
Lewis, WV	Building - House	44.45	1.2	Access Road	Limited Time	RSS-H600-034	This structure appears to be abandoned. But see residential site specific plan RSS-H600-034. The landowner has approved the construction plan.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Lewis, WV	Building - Barn	44.47	19.5	Access Road	No	RSS-H600-034	This structure is not a residence. But see residential site specific plan RSS- H600-034.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Lewis, WV	Building - Shed	44.47	16.4	Access Road	No	RSS-H600-034	This structure is not a residence. See residential site specific plan RSS-H600-034.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Lewis, WV	Building - Shed	44.47	35.0	Access Road	No	RSS-H600-034	This structure is not a residence. See residential site specific plan RSS-H600-034.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Lewis, WV	Building - Shed	44.67	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - Shed	45.50	0.0	9.3	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building - Shed	45.90	15.4	Access Road	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Lewis, WV	Building – Mobile home	46.06	19.9	Access Road	No		This structure is not a residence. Outside of LOD.	
Lewis, WV	Building - Shed	46.30	30.6	Access Road	No		This structure is not a residence. Outside of LOD.	
Lewis, WV	Building - Shed	47.44	0.0	ATWS	No		This structure is not a residence. Purchased, to be removed.	
Lewis, WV	Building - Barn	47.80	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - Shed	53.02	16.2	53.7	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - Shed	53.17	0.0	16.4	No		This structure is not a residence. Negotiations are on-going.	
Lewis, WV	Building	54.70	0.0	82.6	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Lewis, WV	Building - Garage	54.92	8.9	Access Road	No	RSS-H600-036	This structure is not a residence. But see residential site specific plan RSS- H600-036.	Access Road necessary for steep terrain and road crossing.
Lewis, WV	Building - Garage	54.92	2.3	Access Road	No	RSS-H600-036	This structure is not a residence. But see residential site specific plan RSS- H600-036.	Access Road necessary for steep terrain and road crossing.
Lewis, WV	Building - Shed	58.97	11.9	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed. .	
Lewis, WV	Building – Shed	59.52	1.0	Access Road	No	RSS-H600-037	See residential site specific plan RSS-H600-037.	Access Road necessary for steep terrain and I-79 crossing
Lewis, WV	Building - Shed	59.93	0.7	Access Road	No	RSS-H600-098	This structure is not a residence. See residential site specific plan RSS-H600-098.	Access Road necessary for I-79 crossing.
Lewis, WV	Building – House	59.93	12.0	Access Road	Yes	RSS-H600-098	See residential site specific plan RSS-H600-098. The landowner has approved the construction plan.	Access Road necessary for I-79 crossing.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Lewis, WV	Building - Garage	59.93	2.0	Access Road	No	RSS-H600-099	This structure is not a residence. See residential site specific plan RSS-H600-099.	Access Road necessary for I-79 crossing.
Lewis, WV	Building - House	59.93	11.7	Access Road	Yes	RSS-H600-099	See residential site specific plan RSS-H600-099. The landowner has approved the construction plan.	Access Road necessary for I-79 crossing.
Lewis, WV	Building – Garage	59.93	3.0	Access Road	No	RSS-H600-099	This structure is not a residence. But see residential site specific plan RSS- H600-099.	Access Road necessary for I-79 crossing.
Lewis, WV	Building – Deer Stand	60.27	0.0	55.0	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - Shed	61.86	1.7	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building – Shed	61.86	11.7	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Lewis, WV	Building – Shed	61.88	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building – Deer Blind	64.90	0.0	47.9	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Lewis, WV	Building - House	65.37	14.8	102.3	Yes	RSS-H600-038	See residential site specific plan RSS-H600-038. The landowner has approved the construction plan.	Access necessary for Mainline Valve 8.
Braxton, WV	Building – House	67.16	5.7	Access Road	Yes	RSS-H600-173	See site specific residential plan RSS-H600-173.	Access Road necessary for steep terrain and Weston Gauley Bridge Turnpike Trail crossing.
Braxton, WV	Building – Barn	67.81	2.0	Access Road	No	RSS-H600-168	See residential site specific plan RSS-H600-168.	Access Road necessary for steep terrain.
Braxton, WV	Building - Shed	67.81	28.5	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Braxton, WV	Building - Deer Blind	68.15	0.0	9.5	No		This structure is not a residence. Land owner to move.	
Braxton, WV	Building - Shed	68.42	0.6	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Braxton, WV	Building - Shed	68.46	0.0	34.8	No		This structure is not a residence. Negotiations are on-going.	
Braxton, WV	Building - Shed	68.46	2.8	Access Road	No	RSS-H600-040	This structure is not a residence. See residential site specific plan RSS-H600-040.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius
Braxton, WV	Building - House	68.46	22.9	ATWS	Yes	RSS-H600-040	See residential site specific plan RSS-H600-040.	Access Road necessary for steep terrain and ATWS necessary for tractor trailer turn radius.
Braxton, WV	Building – Shed	68.64	29.9	ATWS	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Braxton, WV	Building – Barn	68.64	0.0	41.3	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Braxton, WV	Building – House Abandoned	69.89	1.0	Access Road	No	RSS-H600-170	Structure is not a residence. See residential site specific plan RSS-H600-170.	Access Road necessary for steep terrain and stream crossings.
Braxton, WV	Building – Garage	69.89	14.9	Access Road	No	RSS-H600-170	Structure is not a residence. See residential site specific plan RSS-H600-170.	Access Road necessary for steep terrain and stream crossings.
Braxton, WV	Building - Outhouse	69.89	0.0	Access Road	No	RSS-H600-170	Structure is not a residence. See residential site specific plan RSS-H600-170.	Access Road necessary for steep terrain and stream crossings.
Braxton, WV	Building	69.91	0.0	Access Road	No	RSS-H600-169	Structure is not a residence. See residential site specific plan RSS-H600-169.	Structure is not a residence. See residential site specific plan RSS-H600-169.
Braxton, WV	Building – Barn	69.93	20.0	Access Road	No	RSS-H600-169	Structure is not a residence. See residential site specific plan RSS-H600-169.	Access Road necessary for steep terrain and stream crossings.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Braxton, WV	Building – Barn	71.40	1.0	26.4	No		This structure is not a residence. Negotiations are on-going.	
Braxton, WV	Building - Metering Facility	71.54	34.9	72.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Braxton, WV	Building - Portable Trailer	72.22	34.5	Access Road	Limited Time	RSS-H600-041	See residential site specific plan RSS-H600-041.	Access Road necessary due to steep terrain.
Braxton, WV	Building - Shed	72.22	34.6	Access Road	No	RSS-H600-041	This structure is not a residence. See residential site specific plan RSS-H600-041.	Access Road necessary due to steep terrain.
Braxton, WV	Building - Shed	72.23	0.8	Access Road	No	RSS-H600-041	This structure is not a residence. See residential site specific plan RSS-H600-041.	Access Road necessary due to steep terrain.
Braxton, WV	Building - Shed	73.49	0.0	41.7	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Braxton, WV	Building – House	75.30	19.7	Access Road	Yes	RSS-H600-174	See residential site specific plan RSS-H600-174.	Access Road necessary for Little Kanawha River crossing

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Braxton, WV	Building – House	75.30	20.7	Access Road	Yes	RSS-H600-174	See residential site specific plan RSS-H600-174.	Access Road necessary for Little Kanawha River crossing.
Braxton, WV	Building – Commercial	75.30	0.0	Laydown Yard	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Braxton, WV	Building – Demolished	76.18	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Braxton, WV	Building - Shed	77.28	0.0	Access Road	No		This structure is not a residence. Property has been purchased.	
Braxton, WV	Building - Shed	77.28	0.0	Access Road	No		This structure is not a residence. Property has been purchased.	
Braxton, WV	Building - House	77.28	0.0	Access Road	Yes		Property has been purchased. Will not be occupied at time of construction.	
Braxton, WV	Building - Barn	77.29	0.0	Access Road	No		This structure is not a residence. Property has been purchased.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Braxton, WV	Building - Barn	77.29	0.0	Access Road	No		This structure is not a residence. Property has been purchased.	
Braxton, WV	Building - Shed	77.29	0.0	Access Road	No		This structure is not a residence. Property has been purchased.	
Braxton, WV	Building – Barn	77.92	0.0	Access Road	No	RSS-H600-101	This structure is not a residence. But see residential site specific plan RSS- H600-101.	Access Road necessary due to steep terrain.
Braxton, WV	Building – Barn	77.92	0.0	Access Road	No	RSS-H600-101	This structure is not a residence. But see residential site specific plan RSS- H600-101.	Access Road necessary due to steep terrain.
Braxton, WV	Building – House	77.94	12.2	Access Road	Yes	RSS-H600-101	See residential site specific plan RSS-H600-101.	Access Road necessary due to steep terrain.
Braxton, WV	Building – Deer Blind	80.02	10.8	99.2	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Webster, WV	Building – Brick Foundation	80.30	0.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Webster, WV	Building - Shed	80.68	18.8	Access Road	No		This structure is not a residence. Outside of LOD.	
Webster, WV	Building – Deer Blind	81.05	0.0	21.2	No		This structure is not a residence. Purchased, to be removed.	
Webster, WV	Building – Shed	83.84	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Webster, WV	Building – Shed	83.85	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Webster, WV	Building - Shed	83.95	1.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Webster, WV	Building – Cabin	83.95	2.3	Access Road	Limited Time	RSS-H600-044	See residential site specific plan RSS-H600-044	Access Road necessary due to steep terrain.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Webster, WV	Building Shed	83.95	1.0	Access Road	No		This structure is not a residence. Outside of LOD.	
Webster, WV	Building - Shed	84.15	26.3	Access Road	No	RSS-H600-043	This structure is not a residence. See residential site specific plan RSS-H600-043.	Access Road necessary due to steep terrain.
Webster, WV	Building - Shed	84.15	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Webster, WV	Building - House	84.15	6.0	Access Road	Yes	RSS-H600-043	See residential site specific plan RSS-H600-043	Access Road necessary due to steep terrain.
Webster, WV	Building – Outhouse	87.40	0.0	4.1	No		This structure is not a residence. Purchased, to be removed.	
Webster, WV	Building – Deer Blind	87.40	0.0	69.6	No		This structure is not a residence. Purchased, to be removed.	
Webster, WV	Building - Cabin	87.40	0.0	43.7	No		Purchased - To be removed. Will not be occupied at time of construction.	
Webster, WV	Building - Canopy	93.01	14.8	100.8	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Webster, WV	Building - Shed	93.01	15.5	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Webster, WV	Building - Construction Trailer	93.28	0.0	Laydown Yard	No		This structure is not a residence. Structure will be temporarily moved during construction.	
Webster, WV	Building - House	95.37	23.9	Access Road	Yes	RSS-H600-114	See residential site specific plan RSS-H600-114.	Access Road necessary due to steep terrain.
Webster, WV	Building – Deer Blind	100.05	0.0	40.2	No		This structure is not a residence. Negotiations are on-going.	
Webster, WV	Building - Deer Blind	100.44	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Webster, WV	Building - Shed	106.10	38.0	ATWS	No		This structure is not a residence. Outside of LOD.	
Webster, WV	Building – Church	106.14	47.0	84.5	Yes	RSS-H600-117	See residential site specific plan RSS-H600-117.	Necessary for pipeline constructability
Nicholas, WV	Building Demolished	109.92	44.7	ATWS	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building – Commercial	109.93	30.2	ATWS	No		This structure is not a residence. Outside of LOD.	
Nicholas, WV	Building – Church	109.97	45.5	83.0	Yes	RSS-H600-207	See residential site specific plan RSS-H600-207.	Necessary for pipeline constructability.
Nicholas, WV	Building - Barn	111.13	9.9	97.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Nicholas, WV	Building – Barn	111.31	0.0	27.2	No		This structure is not a residence. Negotiations are on-going.	
Nicholas, WV	Building	112.51	15.8	Access Road	No	RSS-H600-183	This structure is not a residence. See residential site specific plan RSS-H600-183.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building Shed	112.52	26.2	Access Road	No	RSS-H600-181	This structure is not a residence. See residential site specific plan RSS-H600-181.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building House	112.52	3.8	Access Road	Yes	RSS-H600-184	See residential site specific plan RSS-H600-184.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)									
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area									
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification	
			From Edge of Workspace	From Pipeline Centerline					
Nicholas, WV	Building House	112.52	32.8	Access Road	Yes	RSS-H600-182	See residential site specific plan RSS-H600-182.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.	
Nicholas, WV	Building – House	112.52	10.7	Access Road	Yes	RSS-H600-184	See residential site specific plan RSS-H600-184	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building – House	112.52	20.3	Access Road	Yes	RSS-H600-183	See residential site specific plan RSS-H600-183	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building – Mobile home	112.52	21.3	Access Road	Yes	RSS-H600-184	See residential site specific plan RSS-H600-184.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building - Mobile home	112.54	14.6	Access Road	Yes	RSS-H600-181	See residential site specific plan RSS-H600-181.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building	112.54	25.9	Access Road	No	RSS-H600-181	This structure is not a residence. See residential site specific plan RSS-H600-181.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)

Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building - Shed	112.55	5.2	Access Road	No	RSS-H600-181	This structure is not a residence. But see residential site specific plan RSS- H600-181	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building -	112.56	26.4	Access Road	No	RSS-H600-181	This structure is not a residence. But see residential site specific plan RSS- H600-181.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building	112.62	4.8	Access Road	No	RSS-H600-179	This structure is not a residence. But see residential site specific plan RSS- H600-179.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building -	112.62	12.7	Access Road	No	RSS-H600-179	This structure is not a residence. See residential site specific plan RSS-H600-179.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building	112.63	12.0	Access Road	No	RSS-H600-179	This structure is not a residence. See residential site specific plan RSS-H600-179.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building – House	112.64	8.5	Access Road	Yes	RSS-H600-179	See residential site specific plan RSS-H600-179.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building – Mobile Home	112.66	45.0	Access Road	Yes	RSS-H600-178	See residential site specific plan RSS-H600-178.	Access road is necessary due to stream and wetland features to the north and south of the intersection point of the proposed access road and proposed right-of-way. In addition this access allows for pipe delivery from Route 20 for an approximate 1.7 mile stretch of right-of-way.
Nicholas, WV	Building - Shed	112.68	3.1	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Nicholas, WV	Building - Demolished	113.05	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Nicholas, WV	Building - Barn	113.66	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building - Mobile Home	113.80	31.0	99.8	Yes	RSS-H600-008	See residential site specific plan RSS-H600-008	Constructability for road crossing.
Nicholas, WV	Building - Mobile Home	113.81	34.0	160.2	Yes	RSS-H600-008	See residential site specific plan RSS-H600-008	Constructability for road crossing.
Nicholas, WV	Building - Barn	113.83	29.0	106.7	No	RSS-H600-008	This structure is not a residence. See residential site specific plan RSS-H600-008.	Constructability for road crossing
Nicholas, WV	Building – Garage	113.85	19.3	100.0	No	RSS-H600-008	This structure is not a residence. See residential site specific plan RSS-H600-008.	Constructability for road crossing.
Nicholas, WV	Building Barn	114.67	2.3	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Nicholas, WV	Building – House	114.72	27.4	99.4	Yes	RSS-H600-118	See residential site specific plan RSS-H600-118.	Constructability for road crossing.
Nicholas, WV	Building - Shed	114.72	12.0	86.4	No	RSS-H600-118	This structure is not a residence. But see residential site specific plan RSS- H600-118	Constructability for road crossing.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building Dog Pen	114.73	3.6	79.9	No	RSS-H600-118	This structure is not a residence. See residential site specific plan RSS-H600-118.	Constructability for road crossing.
Nicholas, WV	Building - Dog Pen	114.73	7.3	84.9	No	RSS-H600-118	This structure is not a residence. But see residential site specific plan RSS- H600-118.	Constructability for road crossing.
Nicholas, WV	Building – Mobile Home	114.74	16.7	96.9	Yes	RSS-H600-118	See residential site specific plan RSS-H600-118.	Constructability for road crossing.
Nicholas, WV	Building - House	115.95	27.3	Access Road	Yes	RSS-H600-119	See residential site specific plan RSS-H600-119.	Access Road necessary due to steep terrain.
Nicholas, WV	Building	115.97	21.1	Access Road	Yes	RSS-H600-050	See residential site specific plan RSS- H600-050	Access Road necessary due to steep terrain.
Nicholas, WV	Building - House	115.99	13.2	Access Road	Yes	RSS-H600-051	See residential site specific plan RSS-H600-051	Access Road necessary due to steep terrain.
Nicholas, WV	Building – Shed	116.20	49.7	Access Road	No	RSS-H600-053	This structure is not a residence. See residential site specific plan RSS-H600-053.	Access Road necessary for pipeline constructability
Nicholas, WV	Building – Mobile Home	116.92	26.1	Access Road	Yes	RSS-H600-053	See residential site specific plan RSS-H600-053.	Access Road necessary for pipeline constructability

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building - Shed	116.92	6.8	Access Road	No	RSS-H600-053	This structure is not a residence. But see residential site specific plan RSS- H600-053	Access Road necessary for pipeline constructability
Nicholas, WV	Building – Shed	116.92	2.0	Access Road	No		This structure is not a residence. Outside of LOD.	
Nicholas, WV	Building - Barn	116.92	6.0	Access Road	Yes		This structure is not a residence. Outside of LOD.	
Nicholas, WV	Building – Shed	116.92	2.0	Access Road	No	RSS-H600-053	This structure is not a residence. But see residential site specific plan RSS- H600-053	Access Road necessary for pipeline constructability.
Nicholas, WV	Building – Travel Trailer	122.02	14.7	ATWS	Limited Time	RSS-H600-120	See residential site specific plan RSS-H600-120.	ATWS necessary for the hydrostatic test.
Nicholas, WV	Building – Garage	122.02	31.1	ATWS	No	RSS-H600-120	This structure is not a residence. See residential site specific plan RSS-H600-120.	ATWS necessary for the hydrostatic test.
Nicholas, WV	Building – Cabin	123.87	29.0	66.5	Limited Time	RSS-H600-121	See residential site specific plan RSS-H600-121.	Pipeline route constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building – Shed	124.44	1.8	Access Road	No	RSS-H600-054	This structure is not a residence. See residential site specific plan RSS-H600-054.	Access Road necessary for pipeline constructability.
Nicholas, WV	Building - House	124.44	13.1	Access Road	Yes	RSS-H600-054	See residential site specific plan RSS-H600-054.	Access Road necessary for pipeline constructability.
Nicholas, WV	Building – Barn	124.44	0.7	Access Road	No	RSS-H600-054	This structure is not a residence. See residential site specific plan RSS-H600-054.	Access Road necessary for pipeline constructability.
Nicholas, WV	Building – Barn	124.44	0.9	Access Road	No	RSS-H600-054	This structure is not a residence. See residential site specific plan RSS-H600-054	Access Road necessary for pipeline constructability.
Nicholas, WV	Building – Barn	124.72	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Nicholas, WV	Building – House	125.03	29.7	ATWS	Yes	RSS-H600-055	See residential site specific plan RSS-H600-055	ATWS necessary for pipeline constructability.
Nicholas, WV	Building – Mobile Home	125.08	19.2	ATWS	Yes	RSS-H600-056	See residential site specific plan RSS-H600-056.	ATWS necessary for pipeline constructability.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building – House	125.11	18.4	Access Road	Yes	RSS-H600-056	See residential site specific plan RSS-H600-056.	Access Road necessary for pipeline constructability.
Nicholas, WV	Building - Shed	125.13	1.7	Access Road	No	RSS-H600-058	This structure is not a residence. See residential site specific plan RSS-H600-058.	Access Road necessary for pipeline constructability.
Nicholas, WV	Building – Mobile Home	125.13	21.5	Access Road	Yes	RSS-H600-058	See residential site specific plan RSS-H600-058.	Access Road necessary for pipeline constructability.
Nicholas, WV	Building Outhouse	125.34	2.5	69.4	No		This structure is not a residence. Outside of LOD.	
Nicholas, WV	Building - Shed	126.19	14.2	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Nicholas, WV	Building - House	128.31	40.0	Access Road	Yes	RSS-H600-059	See residential site specific plan RSS-H600-059.	Access Road necessary due to steep terrain.
Nicholas, WV	Building - Shed	128.31	10.0	Access Road	No	RSS-H600-059	This structure is not a residence. But see residential site specific RSS-H600-059	Access Road necessary due to steep terrain.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Nicholas, WV	Building - Shed	128.31	7.0	Access Road	No	RSS-H600-059	This structure is not a residence. See residential site specific plan RSS-H600-059.	Access Road necessary due to steep terrain.
Nicholas, WV	Building - Shed	128.31	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Nicholas, WV	Building - Shed	128.32	45.7	83.2	No		This structure is not a residence. Outside of LOD.	
Nicholas, WV	Building - House - Burned	130.53	0.7	38.2	No		This structure is not a residence. Safety/Barricade fence to be installed. The landowner has approved the construction plan.	
Nicholas, WV	Building - Barn	130.60	25.5	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed	
Nicholas, WV	Building - Concrete Foundation	132.80	0.0	9.7	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building	137.08	37.7	125.2	No		This structure is not a residence. Outside of LOD.	
Greenbrier, WV	Building - Shed	137.15	31.9	ATWS	No		This structure is not a residence. Outside of LOD.	
Greenbrier, WV	Building - Shed	137.27	21.1	108.6	No	RSS-H600-125	This structure is not a residence. See residential site specific plan RSS-H600-125.	Necessary for pipeline constructability.
Greenbrier, WV	Building - House	137.28	48.3	135.8	Yes	RSS-H600-125	See residential site specific plan RSS-H600-125.	Necessary for pipeline constructability.
Greenbrier, WV	Building - Shed	137.28	6.8	94.3	No	RSS-H600-125	This structure is not a residence. But see residential site specific plan RSS- H600-125.	Necessary for pipeline constructability.
Greenbrier, WV	Building - Barn	137.29	0.0	18.0	No	RSS-H600-125	This structure is not a residence. But see residential site specific plan RSS- H600-125	Necessary for pipeline constructability.
Greenbrier, WV	Building - Shed	137.38	37.0	124.5	No	RSS-H600-126	This structure is not a residence. But see residential site specific plan RSS- H600-126	Necessary for pipeline constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - Shed	137.38	30.8	118.3	No	RSS-H600-126	This structure is not a residence. See residential site specific plan RSS-H600-126.	Necessary for pipeline constructability.
Greenbrier, WV	Building - Concrete Foundation	137.38	0.0	26.1	No	RSS-H600-126	This structure is not a residence. But see residential site specific plan RSS- H600-126. Negotiations are on-going.	Necessary for pipeline constructability.
Greenbrier, WV	Building - Mobile Home	137.38	30.3	117.8	Yes	RSS-H600-126	See residential site specific plan RSS-H600-126	Necessary for pipeline constructability.
Greenbrier, WV	Building - Travel Trailer	137.43	44.4	131.9	Limited Time	RSS-H600-126	See residential site specific plan RSS-H600-126	Necessary for pipeline constructability.
Greenbrier, WV	Building - Deer Blind	138.04	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building - Travel Trailer	138.35	0.0	72.1	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building - Deer Shack	138.56	0.0	37.5	No	RSS-H600-210	See residential site specific plan RSS-H600-210.	Necessary for pipeline constructability.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - Mobile Home	138.86	0.0	40.6	Yes	RSS-H600-009	See residential site specific plan RSS-H600-009. Severe slopes restrict routing pipeline away from residence. Mountain Valley representatives have met with the property owner and owners have agreed to the proposed construction plan. Workspace will be necked down to avoid structures. Mobile home is currently unoccupied, but landowner has stated they plan to live in the home at some point.	Necessary for pipeline constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - Mobile Home	139.01	0.0	88.6	Limited Time	RSS-H600-010	See residential site specific plan RSS-H600-010. The landowner has approved the construction plan.	Necessary for pipeline constructability.
Greenbrier, WV	Building - Garage	143.88	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building – House	143.90	7.1	Access Road	Yes	RSS-H600-061	See residential site specific plan RSS-H600-061.	ATWS necessary for river and road crossing.
Greenbrier, WV	Building – House	143.91	0.0	ATWS	No	RSS-H600-204	See residential site specific plan RSS-H600-204.	ATWS necessary for river and road crossing.
Greenbrier, WV	Building - Barn	143.91	0.0	ATWS	No	RSS-H600-204	This structure is not a residence. See residential site specific plan RSS-H600-204	ATWS necessary for river and road crossing.
Greenbrier, WV	Building - Shed	143.91	0.0	ATWS	No	RSS-H600-204	This structure is not a residence. See residential site specific plan RSS-H600-204.	ATWS necessary for river and road crossing.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - Car Wash	144.11	9.6	ATWS	No	RSS-H600-062	This structure is not a residence. See residential site specific plan RSS-H600-062.	ATWS necessary for railroad and road crossing.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - House	144.22	0.0	3.6	No		Per agreement with the property owner, the owner will remove what he wants from the structure prior to construction. The structure will then be removed during construction. House was deemed dilapidated and uninhabitable. Mountain Valley could not route away from the structure due to side slope on both sides with significant drainage features. The route chosen at this abandoned house allows crossing Rt 60 while avoiding inhabited residences and business. Negotiations are ongoing.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - Shed	147.01	0.9	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Greenbrier, WV	Building - Deer Blind	147.55	40.2	77.8	No		This structure is not a residence. Outside of LOD.	
Greenbrier, WV	Building - House	149.47	2.0	ATWS	Yes	RSS-H600-012	See residential site specific plan RSS-H600-012.	ATWS necessary for road crossing.
Greenbrier, WV	Building - Deer Blind	149.67	0.0	8.0	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building	149.90	7.4	Access Road	No	RSS-H600-064	This structure is not a residence. See residential site specific plan RSS-H600-064.	Access Road necessary due to steep terrain.
Greenbrier, WV	Building	149.90	0.0	Access Road	No	RSS-H600-063	This structure is not a residence. See residential site specific plan RSS-H600-063.	Access Road necessary due to steep terrain.
Greenbrier, WV	Building - House	149.90	32.6	Access Road	Yes	RSS-H600-063	See residential site specific plan RSS-H600-063	Access Road necessary due to steep terrain.
Greenbrier, WV	Building	149.94	0.0	ATWS	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building	149.95	33.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Greenbrier, WV	Building - Shed	149.96	29.8	Access Road	No	RSS-H600-064	This structure is not a residence. See residential site specific plan RSS-H600-064.	Access Road necessary due to steep terrain.
Greenbrier, WV	Building – Wood Burner	150.49	0.0	Access Road	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building - Shed	150.49	0.0	Access Road	No	RSS-H600-185	This structure is not a residence. But see residential site specific plan RSS- H600-185	Access Road necessary due to steep terrain.
Greenbrier, WV	Building - Deer Blind	150.57	0.0	17.1	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building - House	150.65	31.5	Access Road	No	RSS-H600-185	See residential site specific plan RSS-H600-185.	Access road necessary for steep terrain.
Greenbrier, WV	Building - Animal Shelter	150.90	49.5	87.0	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - Shed	151.43	0.0	30.3	No		This structure is not a residence. Negotiations are on-going.	
Greenbrier, WV	Building - Travel Trailer	153.58	0.0	0.0	Yes		Landowner has agreed to remove travel trailer prior to construction.	
Greenbrier, WV	Building – Outhouse	155.75	2.0	Access Road	No	RSS-H600-203	This structure is not a residence. But see residential site specific plan RSS- H600-203	Access Road necessary for pipeline constructability.
Greenbrier, WV	Building – Barn	155.75	2.0	Access Road	No	RSS-H600-203	See residential site specific plan RSS-H600-203	Access Road necessary for pipeline constructability.
Greenbrier, WV	Building - House	155.77	3.2	Access Road	Yes	RSS-H600-203	See residential site specific plan RSS-H600-203.	Access Road necessary for pipeline constructability .
Greenbrier, WV	Building - Shed	155.94	2.3	Access Road	No	RSS-H600-065	This structure is not a residence. But see residential site specific plan RSS- H600-065	Access Road necessary for pipeline constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building – House	155.94	6.5	Access Road	Yes	RSS-H600-065	See residential site specific plan RSS-H600-065.	Access Road necessary for pipeline constructability.
Greenbrier, WV	Building - Shed	156.54	2.2	Access Road	No	RSS-H600-066	This structure is not a residence. But see residential site specific plan RSS- H600-066.	Access Road necessary for I-64 crossing.
Greenbrier, WV	Building – Portable	156.54	5.1	Access Road	No	RSS-H600-066	This structure is not a residence. But see residential site specific plan RSS- H600-066.	Access Road necessary for I-64 crossing.
Greenbrier, WV	Building - Shed	156.54	0.0	Access Road	No	RSS-H600-066	This structure is not a residence. But see residential site specific plan RSS- H600-066	Access Road necessary for I-64 crossing.
Greenbrier, WV	Building Shed	156.54	0.0	Access Road	No	RSS-H600-067	This structure is not a residence. See residential site specific plan RSS-H600-067.	Access Road necessary for I-64 crossing.
Greenbrier, WV	Building - House	156.54	0.0	Access Road	Yes	RSS-H600-067	See residential site specific plan RSS-H600-067. Negotiations are on- going.	Access Road necessary for I-64 crossing.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Greenbrier, WV	Building - House	156.54	13.2	Access Road	Yes	RSS-H600-068	See residential site specific plan RSS-H600-068. Negotiations are on-going.	Access Road necessary for I-64 crossing.
Greenbrier, WV	Building	157.02	43.8	Access Road	No		This structure is not a residence. Outside of LOD.	
Summers, WV	Building – House	166.93	0.0	80.0	Yes	RSS-H600-127	See residential site specific plan RSS-H600-127.	Necessary for pipeline constructability.
Summers, WV	Building Barn	166.93	31.3	118.8	No		This structure is not a residence. Outside of LOD.	
Summers, WV	Building Portable	169.60	4.4	91.9	Limited Time	RSS-H600-163	See residential site specific plan RSS-H600-163.	Necessary for pipeline constructability.
Summers, WV	Building Portable	169.61	16.0	103.5	Limited Time	RSS-H600-163	See residential site specific plan RSS-H600-163.	Necessary for pipeline constructability.
Summers, WV	Building Portable	169.66	24.8	ATWS	Limited Time	RSS-H600-164	See residential site specific plan RSS-H600-164.	ATWS necessary for road crossing.
Summers, WV	Building Shed	169.83	38.9	76.4	No		This structure is not a residence. Outside of LOD.	
Summers, WV	Building Barn	169.99	27.5	ATWS	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)									
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area									
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification	
			From Edge of Workspace	From Pipeline Centerline					
Summers, WV	Building Shed	171.26	42.6	122.4	No	RSS-H600-014	This structure is not a residence. See residential site specific plan RSS-H600-014	Necessary for pipeline constructability and road crossing.	
Summers, WV	Building - House	171.26	17.9	54.9	Yes	RSS-H600-014	See residential site specific plan RSS-H600-014.	Necessary for pipeline constructability and road crossing.	
Summers, WV	Building - Shed	171.26	41.0	109.0	No	RSS-H600-014	This structure is not a residence. See residential site specific plan RSS-H600-014.	Necessary for pipeline constructability and road crossing.	
Summers, WV	Building - Portable	171.32	5.0	ATWS	Limited Time	RSS-H600-167	See residential site specific plan RSS-H600-167.	ATWS is necessary for the Greenbrier River Crossing	
Summers, WV	Building - Shed	171.33	0.0	30.5	No		This structure is not a residence. Negotiations are on-going.		
Summers, WV	Building - Shed	171.35	4.3	Access Road	No		This structure is not a residence. Outside of LOD.		
Summers, WV	Building - Shed	171.85	23.1	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.		

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Summers, WV	Building - Shed	171.87	22.4	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Summers, WV	Building - Shed	172.18	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Summers, WV	Building - Barn	172.18	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Summers, WV	Building - Shed	172.18	10.4	Access Road	No	RSS-H600-071	This structure is not a residence. See residential site specific plan RSS-H600-071.	Access road necessary for stream crossings.
Summers, WV	Building	172.18	6.7	Access Road	No	RSS-H600-071	See residential site specific plan RSS-H600-071.	Access road necessary for stream crossings.
Summers, WV	Building - Shed	172.49	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	.
Summers, WV	Building - Shed	172.49	0.0	Access Road	No	RSS-H600-129	See residential site specific plan RSS-H600-129	Access Road is necessary for pipeline constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Summers, WV	Building Barn Demolished	174.08	0.0	41.0	No		This structure is not a residence. Negotiations are on-going.	
Summers, WV	Building – Barn	174.08	22.1	ATWS	No		This structure is not a residence. Outside of LOD.	
Monroe, WV	Building - Barn	176.00	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building - Shed	176.00	18.7	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building - Shed	176.00	27.5	ATWS	No		This structure is not a residence. Outside of LOD.	
Monroe, WV	Building – Garage	179.12	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building - Barn	182.27	4.5	75.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Monroe, WV	Building - House	182.73	13.0	Access Road	Yes	RSS-H600-073	See residential site specific plan RSS-H600-073	Access Road is necessary for pipeline constructability.
Monroe, WV	Building - Deer Blind	183.13	0.0	78.7	No		This structure is not a residence. Negotiations are on-going.	
Monroe, WV	Building - Deer Blind	183.30	0.0	19.3	No		This structure is not a residence. Negotiations are on-going.	
Monroe, WV	Building - Shed	184.00	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building - Shed	184.02	13.5	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building - Deer Feeder	184.36	46.6	143.1	No		This structure is not a residence. Outside of LOD.	
Monroe, WV	Building - Deer Blind	184.38	0.0	44.4	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Monroe, WV	Building - Deer Blind	184.60	0.0	32.5	No		This structure is not a residence. Negotiations are on-going.	
Monroe, WV	Building - Deer Blind	184.81	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Monroe, WV	Building - Shed	186.12	3.2	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building Demolished	186.96	11.9	49.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Monroe, WV	Building - House	191.42	28.9	Ground Bed	Yes	RSS-H600-206	See residential site specific plan RSS-H600-206.	Necessary for cathodic protection site constructability.
Giles, VA	Building - Shed	197.80	37.9	75.4	No	RSS-H600-015	This structure is not a residence. But see residential site specific plan RSS- H600-015.	Necessary for pipeline constructability.
Giles, VA	Building – Hunting Cabin	197.81	6.7	44.2	Limited Time	RSS-H600-015	See residential site specific plan RSS- H600-015.	Necessary for pipeline constructability.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - House	198.37	5.0	77.7	Yes	RSS-H600-016	See residential site specific plan RSS-H600-016. Negotiations are on-going.	Necessary for pipeline constructability.
Giles, VA	Building - Hunting Cabin	198.55	39.2	76.7	Limited Time	RSS-H600-133	See residential site specific plan RSS-H600-133.	Necessary for pipeline constructability.
Giles, VA	Building – Barn	198.79	21.3	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA	Building – House	198.94	32.2	Access Road	No	RSS-H600-187	See residential site specific plan RSS-H600-187.	Access Road necessary due to steep terrain.
Giles, VA	Building – Coop	198.94	20.3	Access Road	No	RSS-H600-187	This structure is not a residence. But see residential site specific plan RSS-H600-187.	Access Road necessary due to steep terrain.
Giles, VA	Building - Shed	198.94	16.2	Access Road	No	RSS-H600-187	This structure is not a residence. But see residential site specific plan RSS-H600-187.	Access Road necessary due to steep terrain.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building – Garage	198.94	1.0	Access Road	No	RSS-H600-187	This structure is not a residence. But see residential site specific plan RSS-H600-187.	Access Road necessary due to steep terrain.
Giles, VA	Building - Shed	198.94	1.0	Access Road	No	RSS-H600-187	This structure is not a residence. But see residential site specific plan RSS-H600-187.	Access Road necessary due to steep terrain.
Giles, VA	Building - Shed	199.32	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - Cabin	199.50	6.2	43.7	Limited Time	RSS-H600-017	See residential site specific plan RSS-H600-017. Adjusting the route in this area is hindered by side slope conditions on the east and west side of the proposed route, coupled with numerous occupied residences to the east. This cabin is entirely off work space and will not be impacted by construction. Efforts are currently underway to discuss construction plans with landowner.	Necessary for pipeline constructability due to steep slope on either side.
Giles, VA	Building - Barn	199.50	2.0	Access Road	No	RSS-H600-076	This structure is not a residence. But see residential site specific plan RSS-H600-076.	Access Road necessary due to steep terrain.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - Shed	199.52	18.4	Access Road	No	RSS-H600-076	This structure is not a residence. But see residential site specific plan RSS-H600-076.	Access Road necessary due to steep terrain.
Giles, VA	Building – House	199.78	35.0	Access Road	Yes	RSS-H600-132	See residential site specific plan RSS-H600-132.	Access Road necessary due to steep terrain and Appalachian Trail crossing.
Giles, VA	Building - Shed	201.48	11.4	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA	Building – House – Abandoned	202.21	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA	Building – Mobile Home	202.38	11.1	Access Road	Yes	RSS-H600-208	See residential site specific plan RSS-H600-208.	Access Road necessary due to steep terrain and stream crossings.
Giles, VA	Building - Pig Pen	203.47	0.0	32.4	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - Barn	204.20	42.2	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA	Building – Barn	204.21	5.0	16.8	No		This structure is not a residence. Negotiations are on-going.	
Giles, VA	Building – Pavilion	204.31	14.6	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed	
Giles, VA	Building – Barn	204.35	42.8	130.3	No		This structure is not a residence. Outside of LOD.	
Giles, VA	Building - Barn	207.21	23.2	110.7	No		This structure is not a residence. Outside of LOD.	
Giles, VA	Building – Shed	207.32	0.0	11.6	No		This structure is not a residence. Negotiations are on-going.	
Giles, VA	Building – Shed	208.86	0.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building – Barn	208.86	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA	Building – Shed	208.86	33.5	Access Road	No		This structure is not a residence. Outside of LOD.	
Giles, VA	Building – Barn	209.28	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Giles, VA	Building - Garage	209.90	13.2	Access Road	No	RSS-H600-077	This structure is not a residence. But see residential site specific plan RSS-H600-077.	Access Road is necessary for pipeline constructability.
Giles, VA	Building – House	209.90	48.7	Access Road	Yes	RSS-H600-077	See residential site specific plan RSS-H600-077.	Access Road is necessary for pipeline constructability.
Giles, VA	Building - Shed	210.98	10.4	Access Road	No	RSS-H600-188	This structure is not a residence. But see residential site specific plan RSS-H600-188.	Access Road is necessary for road and creek crossing.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - House	210.99	40.0	Access Road	Yes	RSS-H600-188	See residential site specific plan RSS-H600-188.	Access Road is necessary for road and creek crossing.
Giles, VA	Covered Bridge	211.01	14.9	Access Road	No		This structure is not a residence. Outside of LOD.	
Giles, VA	Building - House	211.95	38.4	125.9	Yes	RSS-H600-135	See residential site specific plan RSS-H600-135	Necessary for pipeline constructability.
Giles, VA	Building - House	212.88	34.6	Access Road	Yes	RSS-H600-136	See residential site specific plan RSS-H600-136	Access Road necessary due to steep terrain.
Giles, VA	Building – Mobile Home	212.89	0.0	Access Road	Yes	RSS-H600-136	See residential site specific plan RSS- H600-136	Access Road necessary due to steep terrain.
Giles, VA	Building - Shed	212.90	7.1	Access Road	No	RSS-H600-136	This structure is not a residence. But see residential site specific plan RSS-H600-136.	Access Road necessary due to steep terrain.
Giles, VA	Building – House	212.91	35.2	Access Road	Limited Time	RSS-H600-213	See residential site specific plan RSS- H600-213.	Access Road necessary due to steep terrain.
Giles, VA	Building – Garage	213.12	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - Barn	213.64	45.8	Access Road	No	RSS-H600-171	This structure is not a residence. But see residential site specific plan RSS-H600-171.	Access Road is necessary for pipeline constructability.
Giles, VA	Building - Barn	213.64	2.0	Access Road	No	RSS-H600-171	This structure is not a residence. But see residential site specific plan RSS-H600-171.	Access Road is necessary for pipeline constructability.
Giles, VA	Building - House	213.64	2.0	Access Road	Yes	RSS-H600-171	See residential site specific plan RSS-H600-171.	Access Road is necessary for pipeline constructability.
Giles, VA	Building - Shed	214.59	0.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA	Building – Mobile Home	214.80	37.0	124.5	No		This structure is not a residence. Outside of LOD.	
Giles, VA	Building - Barn	214.87	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Giles, VA	Building - Demolished	214.87	6.1	43.6	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Giles, VA <sup>a/</sup>	Building - House	216.68	37.5	Access Road	Yes	RSS-H600-137	See residential site specific plan RSS-H600-137.	Access Road is necessary for pipeline constructability.
Giles, VA	Building - Shed	216.69	2.8	Access Road	No	RSS-H600-137	This structure is not a residence. But see residential site specific plan RSS- H600-137.	Access Road is necessary for pipeline constructability.
Craig, VA	Building - Shed	217.94	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Craig, VA	Building - Shed	217.96	39.9	77.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Montgomery, VA	Building - Barn	224.94	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Montgomery, VA	Building – Garage	225.15	6.3	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Montgomery, VA	Building - Barn	225.15	9.8	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Montgomery, VA	Building – Shed	226.85	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Montgomery, VA	Building - Barn	227.50	10.0	26.9	No		This structure is not a residence. Negotiations are on-going.	
Montgomery, VA	Building - Shed	229.47	0.0	0.0	No	RSS-H600-082	This structure is not a residence. Negotiations are on-going. But see residential site specific plan RSS-H600-082.	Necessary for pipeline constructability and paralleling high voltage powerline.
Montgomery, VA	Building - House	229.48	16.3	53.8	Yes	RSS-H600-082	See residential site specific plan RSS-H600-082.	Necessary for pipeline constructability and paralleling high voltage powerline.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Montgomery, VA	Building - Shed	229.92	16.7	Access Road	No	RSS-H600-018	This structure is not a residence. But see residential site specific plan RSS- H600-018.	Access Road is necessary for pipeline constructability and paralleling high voltage powerline.
Montgomery, VA	Building - Mobile Home	229.92	13.4	Access Road	Limited Time	RSS-H600-018	See residential site specific plan RSS-H600-018	ATWS is necessary for pipeline constructability, tractor trailer turn radius and paralleling high voltage powerline.
Montgomery, VA	Building – Shed	230.74	0.0	76.6	No	RSS-H600-083	This structure is not a residence. But see residential site specific plan RSS- H600-083.	Necessary for pipeline constructability and paralleling high voltage powerline.
Montgomery, VA	Building – Shed	230.75	0.0	77.4	No	RSS-H600-083	This structure is not a residence. But see residential site specific plan RSS- H600-083.	Necessary for pipeline constructability and paralleling high voltage powerline.
Montgomery, VA	Building - House	230.76	0.0	16.4	Yes	RSS-H600-083	See residential site specific plan RSS-H600-083.	Necessary for pipeline constructability and paralleling high voltage powerline.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Montgomery, VA	Building - Shed	230.81	0.0	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed	
Montgomery, VA	Building - House	230.88	0.0	13.6	Yes	RSS-H600-202	See residential site specific plan RSS-H600-202.	Necessary for pipeline constructability and paralleling high voltage powerline.
Montgomery, VA	Building – House	234.95	34.4	Access Road	Yes	RSS-H600-191	See residential site specific plan RSS-H600-191.	Access Road necessary for steep terrain, access to MLV-27, and I-81 crossing. Access Road is necessary for a railroad crossing.
Montgomery, VA	Building - Shed	235.42	26.8	Access Road	No	RSS-H600-142	This structure is not a residence. But see residential site specific plan RSS- H600-142.	Access Road is necessary for a railroad crossing.
Montgomery, VA	Building - Barn	235.42	27.9	Access Road	No	RSS-H600-142	This structure is not a residence. But see residential site specific plan RSS- H600-142.	Access Road is necessary for a railroad crossing.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Montgomery, VA	Building - House	235.43	20.8	Access Road	Yes	RSS-H600-142	See residential site specific plan RSS-H600-142.	Access Road is necessary for a railroad crossing.
Montgomery, VA	Building - House	235.45	42.9	Access Road	Yes	RSS-H600-143	See residential site specific plan RSS-H600-143.	Access Road is necessary for a railroad crossing.
Montgomery, VA	Building – Travel Trailer	237.19	0.0	61.6	No		This structure is not a residence. Purchased, to be removed.	
Montgomery, VA	Building - Garage	237.61	19.2	Access Road	No	RSS-H600-144	This structure is not a residence. But see residential site specific plan RSS- H600-144.	Access Road is necessary for steep terrain, pipe delivery to approximately 1.2 miles of right-of-way, and stream crossing.
Montgomery, VA	Building - House	237.62	28.1	Access Road	Yes	RSS-H600-144	See residential site specific plan RSS-H600-144.	Access Road is necessary for steep terrain, pipe delivery to approximately 1.2 miles of right-of-way, and stream crossing.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Montgomery, VA	Building - House[OP3]	237.64	28.4	Access Road	Yes	RSS-H600-145	See residential site specific plan RSS-H600-145.	Access Road is necessary for steep terrain, pipe delivery to approximately 1.2 miles of right-of-way, and stream crossing.
Roanoke, VA	Building - Shed	241.52	1.9	39.4	No		This structure is not a residence. Safety/Barricade fence to be installed	
Roanoke, VA	Building - Shed	241.56	26.7	64.2	No		This structure is not a residence. Outside of LOD.	
Roanoke, VA	Building	243.66	41.1	ATWS	No		This structure is not a residence. Outside of LOD.	
Roanoke, VA	Building – Garage	243.66	46.2	84.2	No		This structure is not a residence. Outside of LOD.	
Roanoke, VA	Building - Shed	244.22	11.8	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Roanoke, VA	Building	245.38	7.6	Access Road	No	RSS-H600-193	See residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Roanoke, VA	Building	245.38	0.0	Access Road	No	RSS-H600-193	This structure is not a residence. But see residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building - Shed	245.38	0.0	Access Road	No	RSS-H600-193	This structure is not a residence. But see residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building – Mobile Home	245.38	27.1	Access Road	Yes	RSS-H600-192	See residential site specific plan RSS-H600-192.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building - House	245.38	32.0	Access Road	Yes	RSS-H600-193	See residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building – Mobile Home	245.38	48.9	Access Road	Yes	RSS-H600-192	This structure is not a residence. But see residential site specific plan RSS-H600-192.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building - House	245.38	44.7	Access Road	Yes	RSS-H600-146	See residential site specific plan RSS-H600-146	Access Road is necessary for pipeline constructability and US-221 crossing.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Roanoke, VA	Building - Shed	245.38	21.8	Access Road	No		This structure is not a residence. Outside of LOD.	
Roanoke, VA	Building - House	245.71	12.8	Access Road	Yes	RSS-H600-085	See residential site specific plan RSS-H600-085. Access road has not been surveyed, permission to access property where home is located has been denied.	Access Road is necessary for pipeline constructability and US-221 crossing.
Roanoke, VA	Building - Shed	246.14	1.2	Access Road	No	RSS-H600-193	This structure is not a residence. But see residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building - Shed	246.14	0.0	Access Road	No	RSS-H600-193	This structure is not a residence. But see residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.
Roanoke, VA	Building - Shed	246.14	29.2	Access Road	No	RSS-H600-193	This structure is not a residence. But see residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Roanoke, VA	Building - Shed	246.15	0.0	Access Road	No	RSS-H600-193	This structure is not a residence. But see residential site specific plan RSS-H600-193.	Access Road is necessary for steep terrain and stream crossings.
Franklin, VA	Building - Garage	246.62	0.0	Access Road	No	RSS-H600-147-1	This structure is not a residence. But see residential site specific plan RSS- H600-147-1.	Access Road is necessary due to steep terrain.
Franklin, VA	Building - House	246.64	46.0	Access Road	Yes	RSS-H600-147-1	See residential site specific plan RSS-H600-147-1.	Access Road is necessary due to steep terrain.
Franklin, VA	Building - Shed	246.64	1.0	Access Road	No	RSS-H600-147-2	This structure is not a residence. But see residential site specific plan RSS- H600-147-2.	Access Road is necessary due to steep terrain.
Franklin, VA	Building - House	248.88	11.3	Access Road	Yes	RSS-H600-086	See residential site specific plan RSS-H600-086.	Access Road is necessary due to steep terrain.
Franklin, VA	Building - Shed	248.88	1.0	Access Road	No	RSS-H600-086	This structure is not a residence. But see residential site specific plan RSS- H600-086.	Access Road is necessary due to steep terrain.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Shed	248.88	15.3	Access Road	No	RSS-H600-086	This structure is not a residence. But see residential site specific plan RSS- H600-086.	Access Road is necessary due to steep terrain.
Franklin, VA	Building – House – Abandoned	252.21	49.9	137.3	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building – Concrete Pad	252.52	0.0	0.0	No		This structure is not a residence. Purchased, to be removed.	
Franklin, VA	Building – Concrete Pad	252.53	0.0	8.1	No		This structure is not a residence. Purchased, to be removed.	
Franklin, VA	Building - Shed	255.30	10.4	Access Road	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building - Shed	257.81	19.9	Access Road	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building – House – Abandoned	257.90	0.0	61.8	No		This structure is not a residence. Purchased, to be removed.	
Franklin, VA	Building - Shed	257.97	16.1	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Shed	258.26	8.9	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Barn	258.87	27.6	ATWS	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building - Shed	258.90	5.9	Access Road	No	RSS-H600-087	This structure is not a residence. But see residential site specific plan RSS- H600-087.	Access Road is necessary for stream crossings.
Franklin, VA	Building - Shed	258.94	1.0	Access Road	No	RSS-H600-087	This structure is not a residence. But see residential site specific plan RSS- H600-087.	Access Road is necessary for stream crossings.
Franklin, VA	Building – Commercial	259.01	0.0	45.6	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building - Barn	259.02	16.7	104.2	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Shed	259.04	0.0	3.5	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building - House	259.26	19.1	ATWS	Yes	RSS-H600-021	See residential site specific plan RSS-H600-021.	ATWS is necessary for road crossing.
Franklin, VA	Building - Shed	259.26	10.6	ATWS	No	RSS-H600-021	This structure is not a residence. But see residential site specific plan RSS- H600-021.	ATWS is necessary for road crossing.
Franklin, VA	Building - Shed	259.41	36.2	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Shed	259.82	22.6	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Stone Foundation	260.21	0.0	56.3	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building – Barn	260.48	33.3	Access Road	No	RSS-H600-149	This structure is not a residence. But see residential site specific plan RSS- H600-149.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building - Shed	260.51	3.0	Access Road	No	RSS-H600-149	This structure is not a residence. But see residential site specific plan RSS- H600-149.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building - Barn	260.53	20.8	Access Road	No	RSS-H600-149	This structure is not a residence. But see residential site specific plan RSS- H600-149.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building – Shed	260.55	8.0	Access Road	No	RSS-H600-149	This structure is not a residence. But see residential site specific plan RSS- H600-149.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building – Shed	260.55	0.4	Access Road	No	RSS-H600-149	This structure is not a residence. But see residential site specific plan RSS- H600-149.	Access Road is necessary for pipeline constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - House	260.60	10.1	Access Road	Yes	RSS-H600-149	See residential site specific plan RSS-H600-149.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building - House	260.64	43.0	Access Road	Yes	RSS-H600-205	See residential site specific plan RSS-H600-205.	Access Road is necessary for stream crossings.
Franklin, VA	Building - House	260.65	39.7	Access Road	Yes	RSS-H600-195	See residential site specific plan RSS-H600-195.	Access Road is necessary for stream crossings.
Franklin, VA	Building - House	260.65	36.5	Access Road	Yes	RSS-H600-194	See residential site specific plan RSS-H600-194.	Access Road is necessary for stream crossings.
Franklin, VA	Building – Barn	260.88	47.7	Access Road	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building - Shed	260.88	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Shed	260.98	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Shed	261.68	2.9	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Shooting Range	261.93	0.0	33.8	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building - Shooting Range	261.95	0.0	1.8	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building - Cabin	261.97	3.6	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Cabin	261.97	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Cabin	261.98	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building – House – Falling Down	261.98	2.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Cabin	261.99	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building – Outhouse	261.99	15.7	Access Road	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building – Demolished	264.63	0.0	42.6	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building – Garage	265.41	22.4	109.9	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building – Cabin	266.44	2.7	90.2	Yes	RSS-H600-209	See residential site specific plan RSS-H600-209.	Access Road necessary for stream and road crossings.
Franklin, VA	Building – Outhouse	266.45	0.0	62.6	No	RSS-H600-209	This structure is not a residence. But see residential site specific plan RSS- H600-209.	Access Road necessary for stream and road crossings.
Franklin, VA	Building – Deer Blind	266.54	22.1	59.6	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building – Barn – Demolished	267.80	39.0	127.3	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Feed Storage	268.86	3.8	91.3	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building – Barn	268.91	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Barn	269.18	6.5	31.5	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building - Barn	269.18	10.0	75.3	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Mobile Home	269.48	0.0	1.5	No		Negotiations are on-going with landowner to purchase uninhabitable mobile home.	
Franklin, VA	Building - Portable Building	269.49	0.0	8.7	No		Negotiations are on- going.	
Franklin, VA	Building - Shed	270.18	15.1	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building – Mobile Home	272.81	29.9	Access Road	No	RSS-H600-093	See residential site specific plan RSS-H600-093.	Access Road necessary for pipeline constructability and stream crossings.
Franklin, VA	Building - Garage	274.94	1.2	88.7	No	RSS-H600-094	This structure is not a residence. But see residential site specific plan RSS-H600-094.	Necessary for pipeline constructability and road crossing.
Franklin, VA	Building - Garage	274.96	3.3	90.8	No	RSS-H600-094	This structure is not a residence. But see residential site specific plan RSS-H600-094.	Necessary for pipeline constructability and road crossing.
Franklin, VA	Building - House	274.96	16.0	103.5	Yes	RSS-H600-094	See residential site specific plan RSS-H600-094.	Necessary for pipeline constructability and road crossing.
Franklin, VA	Building – Shed	276.36	17.6	ATWS	No	RSS-H600-196	See residential site specific plan RSS-H600-196.	ATWS necessary for road crossing.
Franklin, VA	Building – Barn	276.38	7.6	ATWS	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)

Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Barn	276.68	22.7	110.2	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building – Barn	277.50	6.0	90.0	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Barn	277.70	1.1	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building – Concrete Foundation	277.84	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Barn	278.16	0.0	ATWS	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building - House - Demolished	278.19	0.6	38.1	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - House	279.58	39.1	Access Road	Yes	RSS-H600-159-2	See residential site specific plan RSS-H600-159.2.	Access Road is necessary for pipeline constructability.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - House	279.59	27.3	Access Road	Yes	RSS-H600-159-2	See residential site specific plan RSS-H600-159.2, same house as on RSS-H600-159.1 at match line.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building – Travel Trailer	279.59	16.2	Access Road	Limited Time	RSS-H600-159-2	See residential site specific plan RSS-H600-159.2.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building - Shed	279.61	1.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building – House	279.61	35.6	Access Road	Yes	RSS-H600-159-1	See residential site specific plan RSS-H600-159-1.	Access Road is necessary for pipeline constructability.
Franklin, VA	Building - Cabin	279.69	25.2	ATWS	Limited Time	RSS-H600-158	See residential site specific plan RSS-H600-158.	ATWS necessary for access to pipeline and tractor trailer turn radius.
Franklin, VA	Building - Deer Blind	280.17	0.0	32.3	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Barn	280.86	19.3	56.8	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Franklin, VA	Building - Barn	281.31	32.7	120.2	No	RSS-H600-025	This structure is not a residence. But see residential site specific plan RSS-H600-025.	Necessary for pipeline constructability, a road crossing and paralleling high voltage powerline.
Franklin, VA	Building - House	281.33	34.4	86.7	Yes	RSS-H600-025	See residential site specific plan RSS-H600-025.	Necessary for pipeline constructability, a road crossing and paralleling high voltage powerline.
Franklin, VA	Building - Barn	281.35	15.2	107.0	No	RSS-H600-025	This structure is not a residence. But see residential site specific plan RSS- H600-025.	Necessary for pipeline constructability, a road crossing and paralleling high voltage powerline.
Franklin, VA	Building - Barn	282.46	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Franklin, VA	Building - Deer Blind	282.46	0.0	22.7	No		This structure is not a residence. Negotiations are on-going.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Franklin, VA	Building - Shed	282.62	28.7	ATWS	No		This structure is not a residence. Outside of LOD.	
Franklin, VA	Building - Deer Blind	283.16	0.0	23.3	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - Barn	283.94	0.0	21.4	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - House - Abandoned	285.17	15.2	52.7	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Barn	287.10	0.0	32.9	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - Barn	287.12	12.8	101.0	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - Barn	287.59	4.6	42.1	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Deer Stand	288.30	1.0	Access Road	No		This structure is not a residence. Outside of LOD.	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Pittsylvania, VA	Building - House - Falling Down	288.45	9.8	47.3	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Shed - Falling Down	288.50	0.0	0.0	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - Shed - Falling Down	288.52	20.2	76.1	No		This structure is not a residence. Outside of LOD.	
Pittsylvania, VA	Building - Shed	288.57	3.5	62.7	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Shed	290.01	5.9	93.4	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Barn	295.54	0.0	55.5	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - Barn	295.93	22.3	59.8	No		This structure is not a residence. Safety/Barricade fence to be installed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Pittsylvania, VA	Building - Barn	296.47	2.7	40.2	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Barn	296.87	0.0	ATWS	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - House	298.13	16.0	90.0	Yes	RSS-H600-096	See residential site specific plan RSS-H600-096.	Necessary for the US-29 road crossing.
Pittsylvania, VA	Building - Shed	298.16	23.2	111.3	No	RSS-H600-096	This structure is not a residence. But see residential site specific plan RSS-H600-096.	Necessary for the US-29 road crossing.
Pittsylvania, VA	Building - Barn	298.54	0.0	14.8	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - Barn	298.56	22.4	59.9	No	RSS-H600-201	This structure is not a residence. But see residential site specific plan RSS-H600-201.	Necessary for pipeline constructability and railroad crossing.

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Pittsylvania, VA	Building - Shed	298.57	0.0	23.3	No	RSS-H600-201	This structure is not a residence. But see residential site specific plan RSS-H600-201.	Necessary for pipeline constructability and railroad crossing.
Pittsylvania, VA	Building - Demolished	298.58	0.0	41.8	No	RSS-H600-201	This structure is not a residence. But see residential site specific plan RSS-H600-201.	Necessary for pipeline constructability and railroad crossing.
Pittsylvania, VA	Building - Demolished	298.58	0.0	0.0	No	RSS-H600-201	This structure is not a residence. But see residential site specific plan RSS-H600-201.	Necessary for pipeline constructability and railroad crossing.
Pittsylvania, VA	Building - Barn	298.59	0.0	18.0	No	RSS-H600-201	This structure is not a residence. But see residential site specific plan RSS-H600-201.	Necessary for pipeline constructability and railroad crossing.
Pittsylvania, VA	Building - House	298.59	14.4	51.9	Yes	RSS-H600-201	See residential site specific plan RSS-H600-201.	Necessary for pipeline constructability and railroad crossing.

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Pittsylvania, VA	Building - Demolished	298.61	5.7	93.2	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building - Barn	298.61	13.6	ATWS	No		This structure is not a residence. Negotiations are on-going.	
Pittsylvania, VA	Building - House	298.72	23.1	Access Road	Yes	RSS-H600-211	See residential site specific plan RSS-H600-211.	Access Road necessary for stream and railroad crossing.
Pittsylvania, VA	Building - House	298.72	10.5	Access Road	Yes	RSS-H600-211	See residential site specific plan RSS-H600-211.	Access Road necessary for stream and railroad crossing.
Pittsylvania, VA	Building - Barn	298.87	29.6	67.1	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building – Shed – Falling Down	299.73	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Pittsylvania, VA	Building - Shed	299.75	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	

APPENDIX R (continued)

**Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area**

County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Pittsylvania, VA	Building - Shed	299.78	0.0	Access Road	No		This structure is not a residence. Safety/Barricade fence to be installed	
Pittsylvania, VA	Building - Shed	300.17	42.1	Access Road	No	RSS-H600-161	This structure is not a residence. But see residential site specific plan RSS- H600-161.	Access Road is necessary for pipeline constructability.
Pittsylvania, VA	Building - Shed	300.17	31.3	Access Road	No	RSS-H600-161	This structure is not a residence. But see residential site specific plan RSS- H600-161.	Access Road is necessary for pipeline constructability.
Pittsylvania, VA	Building - House	300.18	39.0	Access Road	Yes	RSS-H600-161	See residential site specific plan RSS-H600-161.	Access Road is necessary for pipeline constructability.
Pittsylvania, VA	Building - House - Demolished	300.68	36.3	73.8	No		This structure is not a residence. Safety/Barricade fence to be installed.	
Pittsylvania, VA	Building – House – Falling Down	303.46	0.0	Transco IC LOD	No		This structure is not a residence. Purchased, to be removed.	

APPENDIX R (continued)								
Residences and Other Structures within 50 Feet of the Mountain Valley Pipeline Project Construction Work Area								
County / State	Building Type	MP	Distance (Feet)		Occupied	RSS Plan Number	MVP Proposed Action	Construction Justification
			From Edge of Workspace	From Pipeline Centerline				
Pittsylvania, VA	Building – Old Foundation	303.50	0.0	Transco IC LOD	No		This structure is not a residence. Purchased, to be removed.	
Pittsylvania, VA	Building - House	303.65	0.0	Transco IC LOD	No		This structure is not a residence. Purchased.	
Pittsylvania, VA	Building - Garage	303.65	0.0	Transco IC LOD	No		This structure is not a residence. Purchased.	
LOD – Limits of Disturbance a/ See recommendation in section 4.8 and 5.2 regarding an additional residence at approximately MP 216.6.								